

COLUMN LEFT

DESCRIPTION

Botreat 430 SC reduces Botrytis infection of roses after harvest when applied as a dip treatment. It is a fungicide based on Tebuconazole, a fungicidal triazole compound that acts as a demethylation inhibitor (DMI) of fungal sterol biosynthesis. It is strongly advised to carry out small-scale applications prior to large-scale use of Botreat 430 SC. For best results consult a Chrysal technician.

DIRECTIONS FOR USE

Crop	Disease	Application Rate	Application timing
Roses	Grey mold (Botrytis cineria)	0.5 ml/L	After harvest

Always use clean water to prepare the ready-to-use solution. Dip flowers in the ready-to-use solution for a few seconds. It is advised to make fresh ready-to-use solution daily. Used dip solution can be topped up with fresh unused solution during the day.

HAZARDS/PRECAUTIONS: Skin protection: Wear chemical resistant gloves and protective clothing if frequent or prolonged skin contact is expected. Eye protection: Safety glasses if splashing is anticipated.

STORAGE: Keep out of reach of children. Store in tightly closed original container in a cool, dry, well ventilated place. Keep away from foodstuffs.

DISPOSAL: Triple rinse empty container, drain the rinsate into dipping container. Crush and perforate empty container. Dispose of empty container away from water sources in accordance to the national regulations on chemical disposal. Do not reuse empty container for any other purpose.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not contaminate surface waters or ditches with product or empty container. Used dip solution should be neutralized or diluted tenfold prior to disposal onto fallow land, into a disposal pit or an effluent treatment system.

FIRST AID INSTRUCTIONS

If inhaled: Avoid inhalation of vapour or mist. If inhaled, move the person to fresh air.

After skin contact: Wash with water and soap.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Rinse out mouth. Do NOT induce vomiting. Call a physician immediately.

TOXICOLOGICAL INFORMATION

Moderately toxic by oral and dermal routes. Frequent or prolonged skin contact may cause irritation.

Note to the doctor: Treat symptomatically.

Antidote: No specific antidote is known.

In case of poisoning call toll free numbers: 0800720021 or 0800730030 (24 hours).

NOTICE TO THE USER

This pest control product is to be used only in accordance with the direction on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.



COLUMN RIGHT

MAELEZO

Botreat 430 SC inapunguza maambukizi ya Botrytis kwa maua ya waridi baada ya mavuno yanapozamishwa. Ni fungicide iliyotengenezwa kutoka kwa Tebuconazole, ambayo ni sehemu ya mchanganyiko wa fungicidal triazole ambayo inafanya kazi kama kizuizi aina ya demethylation (DMI) inayozalisha molekuli tata ndani ya viumbe hai au seli ya fungal sterol. Inashauriwa sana kutumia kiwango kidogo kabla ya matumizi kwa kiwango kikubwa ya Botreat 430 SC. Kwa matokeo bora wasiliana na mtaalamu wa Chrysal.

JINZI YA KUTUMIA

Zao	Ugonjwa	Kiwango cha matumizi	Muda wa matumizi
Waridi	Kuvu (Botrytis cineria)	Mililita 0.5 / Lita 1	Baada ya kuvuna

Tumia maji safi kuandaa mchanganyiko wa matumizi. Tumbukiza maua kwa mchanganyiko uliotayarisha kwa sekunde kadhaa. Unashauriwa kutengeneza mchanganyiko safi kila siku. Mchanganyiko uliotumika unaweza kuongezewa mchanganyiko safi wenye haujatamika wakati wa mchana.

HATARI/TAHADHARI: Jikinge kwenye ngozi: Vaa kinga kamili za kuzuia kemikali kuguza ngozi yako, haswaa kama unatumia dawa hii mara kwa mara au kwa muda mrefu. Kwa kukinga macho: Vaa miwani spesheli iwapo matone ya unyevunyevu yatakurukia.

KUHIFADHI: Fungia mbali na watoto. Hifadhi dawa katika kiwekezo chake asili ambacho hakijafunguliwa mahali pakavu pasipo na joto kali. Weka dawa mbali na vyakula.

KUTUPA: Kiwekezo cha dawa kitolewe dawa kabisa kabla ya kutupwa, kamua kiwekezo tupu mara tatu. Tomboa kiwekezo cha dawa, kisha uzike kiwekezo mbali na vyanzo vya maji kulingana na sheria za nchi za utupaji kemikali. Usitumie kiwekezo cha dawa kwa matumizi menyeye yoyote.

MADHARA KWA MAZINGIRA: Sumu kwa viumbe viishivyo majini, inaweza kusababisha athari mbaya ya muda mrefu katika mazingira ya majini. Usitupe mabaki ya dawa au viwekeo vya dawa karibu na mabwawa ya maji au mitaro. Nguvu za mchanganyiko uliotumika sharti zipunguzwe kikamilifu kabla ya kutupwa ardhini au shimo la maji taka.

HUDUMA YA KWANZA

Kama kuvuta pumzi: Epuka kuvuta pumzi ya mvuke au ukungu. Ikihutwa kwenye hewa, msongeshe mtu kwenye hewa safi.

Baada ya kugusa ngozi: Osha kwa maji na sabuni.

Baada ya kugusa Jicho: Safisha jicho lililofunguka kwa dakika kadhaa chini ya maji yanayotiririka.

Baada ya kumeza: Safisha kinywa. Usimtapishe mjeruhiwa. Piga simu kwa daktari maalum.

HABARI KUHUSU SUMU

Iko na sumu kidogo kwa njia ya mdomo na ngozi. Ikigusa ngozi mara kwa mara au kwa muda mrefu inaweza kusababisha muasho.

Ilani kwa daktari: Tibu dalili.

Tiba: Hakuna dawa maalum inayojulikana.

Wakati wa kusumika piga simu bila malipo kwa nambari: 0800720021 au 0800730030.

ILANI KWA MTUMIAJI

Dawa hii ni sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kudhibiti wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



COLUMN MIDDLE

CHRYSAI

Botreat™ 430 SC

POST-HARVEST FUNGICIDE FOR CONTROL OF BOTRYTIS IN ROSES
(KIUA KUVU CHA KUTHIBITI 'BOTRYTIS' KWENYE WARIDI BAADA YA KUVUNA)

READ THE LABEL BEFORE USE (SOMA KIBANDIKO CHA MAELEZO KABLA YA KUTUMIA)
KEEP OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)



DRAFT LABEL APPROVED SUBJECT TO
SUBMISSION OF FINAL LABEL AND PACKAGE
VALID FOR 3 MONTHS ONLY

02 NOV 2018

CONTROL PRODUCTS BOARD

COMMERCIAL AND AGRICULTURAL CLASS (KUNDI ZA BIASHARA NA KILIMWIJINI)
REGISTRATION NO. (NAMBARI YA USAJILI) PCPB (CR) 1685
GUARANTEE (DHAMANA): Tebuconazole 430 g/L

Batch no. (Nambari ya kifurushi):

Date of Manufacture (Tarehe ya Kutengenezwa):

Expiry Date (Tumia kabla ya):

Shelf life: Two years from the date of manufacture when stored in its original unopened container in a cool dry well ventilated place (**Maisha rafuni**: Miaka miwili baada ya kutengenezwa kama ikihifadhiwa kwenye chombo chake asili ambacho hakijafunguliwa mahali pakavu pasipo na joto kali)

NET CONTENT (KIASI): 1 LITRE

Registrant (Msajili):

Chrysal International BV
P.O.Box 5300
1410 AH Naarden
The Netherlands

Formulator (Mtengenezaji):

Ningbo Sunjoy Agrosience Co., Ltd.
1165 Beihai Road
Ningbo, Zhejiang
China

Distributor (Msambazaji):

Chrysal Africa Ltd.
P.O.Box 78219
Nairobi, Kenya
Tel: +254(020)8082517/8
Email: info@chrysal.co.ke

In case of poisoning call these toll free numbers / Wakati wa kusumika piga simu bila malipo kwa nambari: 0800720021/0800730030 (24hrs/masaa 24)



HARMFUL
HUDHURU

