

DESCRIPTION

DUDUTHRIN SUPER is a synthetic pyrethroid insecticide for the control of thrips, aphids, whiteflies, squash vine borer & cucumber beetles on Squash; thrips, aphids, whiteflies & caterpillars on Roses; thrips, aphids, whiteflies & caterpillars on French beans; thrips, aphids & whiteflies on Tomatoes. It has a quick knock-down and repellency effect through contact, residual and stomach activity and therefore stopping pest damage to crops immediately. DUDUTHRIN SUPER has also some effect on mites and therefore in a regular spray programme it can be used to eliminate or reduce the number of specific acaricide sprays required during a season.

Method of Application : DUDUTHRIN SUPER can be applied as foliar spray using most types of spraying equipment. Application should be made when pests first appear and continue every 7 days depending on rains/irrigation and infestation.

Preparation of the Spray: Half fill the tank with water. Then add the required amount of DUDUTHRIN SUPER while stirring. Then add water to the mark. Use the spray on the same day of its preparation.

Directions for use Rate of Application

CROP	PEST	RATE		Pre-Harvest Interval	Re-entry interval
		ML/1000 Lt of water	ML/20 Lt of water		
Squash	Thrips, aphids, whiteflies, squash vine borer and cucumber beetle	300ml/ha	6ml	3 days	-
Roses	Thrips, aphids, whitefly, caterpillars.	300ml/ha	6ml	-	12 hours
French beans	Thrips, aphids, whitefly, caterpillars	300ml/ha	6ml	3 days	-
Tomato	Thrips, aphids, whiteflies,	300ml/ha	6ml	3 days	-

Note: Spray when insects appear on squash, french bean and tomato. Spray at the first sign of insect attack on Roses. Repeat treatment as necessary.

HANDLING PRECAUTIONS

- Do not smoke drink or eat while using this product.
 - Avoid eye contact. Wear safety goggles when handling the product.
 - Avoid spray mist and exposure to the product. Wear rubber gloves and, mask covering nose and mouth. Wear protective clothing such as long sleeved shirts, long pants and rubber boots when handling the product.
 - After application wash yourself and your work clothes.
- DUDUTHRIN[®] SUPER is flammable.

STORAGE

Store in original, tightly closed container away from children, food, drinks and livestock feedstuffs. Store in a cool, dry and well ventilated area under lock and key. Avoid exposure to direct sunlight, heat and naked flames. Kept under these conditions, the shelflife of DUDUTHRIN SUPER is 2 years from the date of manufacture.

DISPOSAL

Surplus product, if unused should be disposed off on a land fill site approved for pesticides or bury in a safe place away from water sources. Do not use empty container for any other purpose. Drain and triple rinse containers and then destroy by perforation and flattening. Bury the destroyed containers in an approved dumping site.

SPILLAGE AND LEAKAGE

Remove the contaminated soil layer and dispose off in a safe place away from water sources.

*Spillage

Soak up with sand, sawdust, soil or binding agent. Collect the contaminated material thoroughly and dispose off in site approved for pesticide. Clean spilled area with plenty of water. Spilt product must not be re-used.

ENVIRONMENT AND WILDLIFE

Toxic to fish and aquatic invertebrates. Do not contaminate water supplies by disposal of product waste. Keep livestock out of treated areas.

FIRST AID INSTRUCTIONS

If poisoning is suspected, contact a physician immediately.
In case of eye contact: Flush the eyes with plenty of water while the eyelids are open for at least 15 minutes. Contact a physician immediately.
In case of skin contact: Wash contaminated skin immediately with plenty of cold water followed by soap and water. Remove contaminated clothing. If skin irritation develops, contact a physician immediately.
In case of inhalation: Remove the patient away from contaminated area and place the patient in a well-ventilated area. Keep warm and at rest. Consult doctor.
In case of ingestion:- Immediately dilute the swallowed product by giving large quantities of water, but DO NOT INDUCE VOMITING. Do not induce gastric lavage, taking care to prevent aspiration of gastric contents. Never give anything by mouth to an unconscious person. Contact a physician immediately. In case of poisoning, call Toll free Nos: 0800720021 and 0800730030 (24hrs)

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: No symptoms known.

ANTIDOTE: No specific anti-dote.

NOTES TO THE DOCTOR: Apply symptomatic treatment.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO

DUDUTHRIN® SUPER ni dawa inayowaangamiza wadudu kama "thrips", "aphids" na "whiteflies" kwa "squash", waridi, maharagwe na nyanya. Nguvu zake huangamiza wadudu mara moja na hata kuzuia wadudu wasirudie kushambulia mimea. **DUDUTHRIN® SUPER** pia husaidia kupunguza wadudu aina ya "mites" kwenye mimea na hii ni faida wakati wa kuzuia wadudu hawa.

NJIA YA KUTUMIA

DUDUTHRIN® SUPER inaweza kunyunyuzwa kwenye matawi kwa njia ya "spray" kutumia vifaa vya kawaida vya kunyunyuzia. Unyunyuziaji sharti ufanywe mara tu wadudu wanapoonekana na kurudia baada ya siku saba kulingana na vile mvua inavyonyesha na jinsi mimea umeshambuliwa na wadudu.

Kutengeneza mchanganyiko wa dawa

Weka maji ndani ya bomba la kunyunyuzia dawa hadi nusu. Ongeza kwango cha **DUDUTHRIN® SUPER** kinachohitajika ukiwa unakoroga mchanganyiko. Kisha jaza maji kwenye bomba ukiendelea kukoroga.

Viwango vya matumizi

MMEA	WADUDU	VIPIMO		MUDA WA KUNGOJA KABLA YA KUVUNA	MUDA WA KUNGOJA KABLA YA KUREJEA
		Mililita kwa lita 1000 ya maji	Mililita kwa lita 20 ya maji		
"Squash"	"Thrips", "aphids", "whiteflies", "squash vine borer" and "cucumber beetle"	Mililita 300 kwa hektari	Mililita 6	Siku 3	-
Waridi	"Thrips", "aphids", "whitefly", "caterpillars"	Mililita 300 kwa hektari	Mililita 6	-	Masaa 12
Maharagwe	"Thrips", "aphids", "whitefly", "caterpillars"	Mililita 300 kwa hektari	Mililita 6	Siku 3	-
Nyanya	"Thrips", "aphids", "whitefly"	Mililita 300 kwa hektari	Mililita 6	Siku 3	-

Kumbuka: Nyunyuzia wadudu wanapo onekana kwenye "squash", maharagwe na nyanya. Nyunyuzia wakati wadudu wanaposhambulia waridi. Rudia inavyohitajika.

TAHADHARI WAKATI WA MATUMIZI

- Usivute sigara usinywe, wala usile wakati unatumia dawa hii.
- Chungu isingie machoni. Vaa miwani ya kukinga macho unapotumia dawa hii.
- Epukana na mvuke wa dawa hii, na kujiweka wazi kwenye dawa. Vaa glovu za mkono za raba, vaa kifuniko cha Pua na mdomo. Vaa nguo za kujikinga kama shati la mikono mirefu, suruali ndefu na gam buti za raba unapotumia dawa hii.
- Baada ya kutumia dawa hii oga mwili na uoshe nguo zako za kazi.
- **DUDUTHRIN® SUPER** inaweza kushika moto.

KUHIFADHI

Hifadhi ndani ya chombo chake asili kilichofungwa vizuri mbali na watoto, chakula, vinywaji na chakula cha mifugo. Hifadhi dawa hii mahali baridi, pakavu na panapopitisha hewa safi, na palipofungwa na kufuli. Usiweke kwenye mwangaza mkali wa jua, joto na miale ya moto. Ikihifadhiwa katika hali hii muda wake wa kudumu ni miaka 2.

KUTUPA

Dawa ya ziada kama haikutumika itupwe kwenye jaa lililoidhinishwa la kutupa madawa ya sumu ya kuangamiza wadudu waharibifu mahali salama mbali na vyanzo vya maji. Usitumie chombo kilichokwisha dawa kwa matumizi mengine yoyote. Ondoa dawa yote kwenye vyombo vilivyokwisha dawa na kisha visuzwe kwa maji mara tatu halafu vipondwe na kutobolewa. Tupa vyombo hivi kwenye jaa la kutupa takataka za sumu, lililoidhinishwa pahali salama mbali na vyanzo vya maji.

IKIMWAGIKA AMA IKIVUJA:

Ondoa mchanga wa juu ulioingia dawa na utupe pahali salama mbali na vyanzo vya maji na makao ya watu.

Ikimwagika: Inyonye kwa kuimwagika mchanga, unga wa mbao, udongo au kifaa cha kuinasa. Kusanya kwa makini vitu vilivyo ingia dawa na utupe pahali salama iliyo idhinishwa. Safisha kwa maji eneo lililomwagikiwa na dawa. Dawa iliyomwagika isitumiwe tena.

MAZINGIRA NA MBUGA ZA WANYAMA:

Ni sumu kwa samaki na viumbe wa majini wasio na uti wa mgongo Usichafue njia za maji kwa kutupa ndani uchafu wa dawa. Weka mifugo mbali na maeneo yaliyowekwa dawa.

MAAGIZO YA HUDUMA YA KWANZA:

Kama unashuku sumu, ita daktari mara moja.

Ikiwa imeingia ndani ya macho: Osha macho na maji mengi kwa angalau dakika 15. Wasiliana na daktari mara moja

Ikiwa imeguza ngozi: Osha ngozi ilio ingia dawa kwa sabuni na maji. Toa nguo zilizomwagikiwa na dawa.

Ikiwa mwasho wa ngozi utatokea, onana na daktari mara moja.

Ikiwa mvuke wa dawa hii umevutwa ndani ya mapapu: Ondooe mgonjwa kutoka kwenye eneo ya sumu na umweke mgonjwa mahali penye hewa safi. Mweke kwenye joto la kadiri na katika hali ya kupumzika. Pata ushauri wa daktari.

Kama imezwa: Izunguze nguvu ya dawa iliyoomezwa haraka kwa kumnywesha mgonjwa maji mengi usimanye alipike. Karfwe usimise mtu aliyepoteza fahariu kitu chochote kupitia mdomoni. Muone daktari haraka.

MAELEZO YA SUMU.

Dalili za sumu: Hakuna dalili maalum.

Makata: Hakuna dawa maalum inayojulikana ya kuvunja nguvu za sumu hii. Maelezo kwa daktari: Tibu kulingana na dalili. Piga simu isiyo na malipo wakati wa shida: 0800720021 na 0800730030 (masaa 24)

ILANI KWA MTUMIAJI

Dawa hii sharti itumie kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya Sheria za Madawa ya Kuangamiza Wadudu Waharibifu (Pest Control Products Act) kutumia au kuhifadhi dawa hii katika hali isiyu salama.

THIBITISHO:

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mfunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



READ THE LABEL AND THE ATTACHED LEAFLET BEFORE USING.
(SOMA KIBANDIKO KABLA YA KUTUMIA)

DUDUTHRIN[®]

SUPER 5 EC

Insecticide with contact, residual and stomach action for control of thrips, aphids, whiteflies squash vine borer & cucumber beetles on Squash; thrips, aphids, whiteflies & caterpillars on Roses; thrips, aphids, whiteflies & caterpillars on French beans; thrips, aphids & whiteflies on Tomatoes.
(Dawa ya kuzuia "thrips", "aphids" na "whiteflies" kwa "squash", waridi, maharagwe na nyanya).



REGISTRATION NO. : PCPB(CR) 0816 GUARANTEE (DHAMANA) : Lambda-cyhalothrin 50 g/lit
(NAMBARI YA KUSAJILIWA)

COMMERCIAL AND AGRICULTURAL CLASS (SEHEMU YA BIASHARA NA KILIMO)

KEEP LOCKED AND OUT OF REACH OF CHILDREN (WEKA MBALI NA WATOTO)

SHELF LIFE: 2 years from date of manufacture if stored in its original, unopened container in a cool dry well ventilated place.

(MUDA RAFUNI: Miaka miwili baada ya tarehe ya kutengenezwa ikihifadhiwa kwenye chombo chake asili kisichofunguliwa na iliowekwa pahali pakavu na penye baridi).

In case of poisoning, call Toll free Nos
(Piga simu isiyo na malipo wakati wa kusumika):
0800720021 /0800730030 (24hrs /masaa 24)



REGISTERED & DISTRIBUTED IN KENYA
(MSAJILI NA MASAMBAZAJI) :

Twiga Chemical Industries Ltd.
P.O. Box 30172, 00100 GPO, Nairobi, Kenya
Tel: 020-530020, Fax: 020-530022

Net Content:
(Kiasi Kamili)
1 litre

MANUFACTURER
NINGBO SUNJOY
21, JIANGXIA ST.,
NINGBO 31500, CHINA

DATE OF MANUFACTURE (TAREHE YA KUTENGENEZWA)	
BATCH NO.: NAMBARI YA KIFURUSHI)	
EXPIRY DATE (TUMIA KABLA YA):	

MEMBER OF
AGROCHEMICALS
ASSOCIATION OF KENYA
REGISTRATION NUMBER 102



FINAL LABEL APPROVED SUBJECT TO SUBMISSION OF FINAL LABEL AND PACKAGE FOR 3 MONTHS ONLY
28 NOV 2018
CONTROL PRODUCT BOARD