

# GC-3™

Fungicide for the control of  
powdery mildew in Roses

(Dawa ya kudhibiti Powdery mildew kwa waridi)



**GUARANTEE/DHAMANA:**

Garlic Extract	23.0% w/v
Cotton Seed oil	31.0% w/v



Powdery Mildew

## AGRICULTURAL AND COMMERCIAL CLASS (KUNDI LA BIASHARA NA KILIMO)

REGISTRATION NUMBER/(NAMBARI YA USAJILI): PCPB(CR) 0787

READ THE LABEL CAREFULLY  
AND USE ONLY AS DIRECTED.

SOMA MAELEZO KABLA YA  
KUTUMIA

KEEP OUT OF REACH OF  
CHILDREN

WEKA IMEFUNGIWA MBALI NA  
WATOTO

**Shelflife:** 2 years in  
original unopened container  
after date of manufacture in  
a cool dry place.

**Maisha Rafuni:** Miaka miwili baada ya  
kutengenezwa ikiwa kwenye chombo chake  
asili kilichofungwa mahali pakavu pasipo na joto jingi.

**INCASE OF POISONING CALL TOLL FREE NUMBER:  
WAKATI WA KUSUMIKA PIGA SIMU BILA MALIPO KWA NAMBARI:  
0800730030 or/au 0800720021 (24HRS/MASAA 24)**

NET CONTENTS(KIASI)

1Lt

Member of  
Agrochemical  
Association  
of Kenya  
A.A.K No 273

aak

DRAFT LABEL APPROVED SUBJECT TO  
SUBMISSION OF FINAL LABEL AND PHOTO  
VALID FOR 3 MONTHS ONLY

22 NOV 2018

PEST CONTROL PRODUCTS BOARD

Batch No/ (Nambari ya furushi):  
Date of manufacture/(Tarehe ya kutengenezwa):  
Date of expiry/(Tumia kabla ya):

Agent/Ajenti:

**JUANCO SPS LTD.**

Juanco Centre, Ngong Rd., Ngong Hills  
P.O.Box 381, Karen 00502, Nairobi.

Tel: +254 (20) 2088754, 2088755

2088789, 2088754, 2048774, 3002398

Fax: +254 (20) 2088793

Mobiles: +254 (722) 207805, 207806

Email: info@juancogroup.com

Website: www.juancogroup.com

Manufactured by/Imetengenezwa na: JH Biotech Inc.

4951 Olivas Park Drive

Ventura, California 93003 USA.





## **MAELEZO**

GC-3 ni dawa yenye saumu na inatumiwa kudhibiti powdery mildew kwenye maua ya waridi.

## **JINSI YA KUTUMIA**

### **TINGIZA KABLA YA KUTUMIA**

Dawa hii ni ya kunyunyizia kwa mimea ya maua ya waridi.

Kipimo cha matumizi ni mililita 3 kwa lita moja ya maji. (lita 3 kwa hektari).

<b>Mmea</b>	<b>Ugonjwa</b>	<b>Kiasi cha Dawa</b>
Waridi	Powdery Mildew	3mls/lita moja ya maji 60mls/lita 20 za maji 3Lts kwa hekta

## **MAPENDEKEZO YA MATUMIZI**

Changanya dawa na maji ilivyopendekezwa na unyunyizie. Usiache dawa iliyochanganywa na maji kwa zaidi ya masaa mawili kabla ya kunyunyizia kwa sababu itaisha nguvu zake. Usihifadhi dawa iliyochanganywa na maji kwa kutumia nyumae.

GC-3 ni nzuri kwa kutumia kuanzia wiki tatu mbele ya kuanza kuvuna na wakati wa kuvuna maana hakutakua mabakio ya dawa isiyotakikana kwenye mavuno.

## **TAHADHARI**

Chunga dawa isiingie kwa macho ama kinywa. Vaa nguo za kujikinga wakati wa kunyunyizia.

Usitumie chakula, maji wala kuvuta sigara wakati unapofanya kazi na dawa. Oga mwili na uondoe nguo za kazi baada ya kunyunyizia.

## **UHIFADHI**

Hifadhi dawa kwenye chombo chake asili kilichofungwa sawasawa, mbali na watoto na mifugo.

## **UTUPAJI**

Daima usitumie chombo kilichokwisha dawa kwa kuhifadhi ama kubebea kitu kingine chochote.

Toboa vyombo vilivyokwisha dawa na utupe mbali na maji. Dawa ikimwagika mwagia maji na utupe kulingana na sheria za nchi za utupaji.

## **HATARI KWA MAZINGIRA**

Inadhuru samaki. Usinyunyizie maji na vyanzo vya maji. Haidhuru ndege sana.

Ni sumu kwa nyuki.

## **HUDUMA YA KWANZA**

Dawa ikimezwa muone daktari. Ikiingia kwa macho au kugusa ngozi safisha na maji mengi safi na ikipumuliwa, muondoe mjeruhi palipo na dawa hadi kwenye hewa safi.

Peleka mwadhiriwa kwa daktari.

## **MAAGIZO KWA DAKTARI**

GC-3 ina saumu. Shughulikia mgonjwa kulingana na dalili alizo nazo.

## **WAKATI WA KUSUMIKA PIGA SIMU BILA MALIPO KWA NAMBARI:**

**0800730030 au 0800720021 (MASAA 24).**

## **ILANI KWA MTUMIAJI**

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudud waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.

## **THIBITISHO**

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu.

Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.



## DESCRIPTION

GC-3 is a biological fungicide that contains garlic extracts for the control of powdery mildew on roses.

## MODE OF ACTION

GC-3 works by contact control of disease at all growth stages.

## DIRECTIONS FOR USE:

**Shake well before use.**

For use on roses to control powdery mildew.

CROP	DISEASE	APPLICATION RATE
Roses	Powdery mildew	3mls/Lt or 3Lts/ha 60mls/20Lts

## CAUTION

Some plants are sensitive . Test for sensitivity with a few plants before applying

## APPLICATION RECOMMENDATIONS

Apply at first sign of disease or as soon as first susceptible tissue emerges.

GC-3 is a contact control of all growth stages. Spray Intervals: 7-10 days.

GC-3 is recommended for use from about 3weeks to harvesting and during harvesting as it will not leave unacceptable residue on produce.

## PRE-HARVEST INTERVAL

24hours after application

## STORAGE AND DISPOSAL

Keep in original container and store in a cool shaded dry place, away from direct sunlight and away from children, animals, water, food and feed. After partial use, replace lids and close tightly. Dispose off wash water safely, avoiding contaminating wells, ponds, and other water sources. Follow national regulations on disposal.

## PRECAUTIONS

GC-3 is not toxic to mammals, bees, birds and micro-organism. However as it may be used in the same environment as other pesticides, the usual precautions pertaining to such other pesticides should be observed.

## ENVIRONMENTAL HAZARDS

Slightly toxic to fish. Do not spray on water. Relatively toxic to birds.

Toxic to bees. Do not apply when bees are actively foraging in the field.

## FIRST AID MEASURES

**If swallowed:** refer to a doctor.

If in eyes: flush with plenty of water.

If inhaled: remove victim to fresh air.

If on skin: remove contaminated clothes and wash thoroughly with soap and water.

## TOXICOLOGICAL INFORMATION

**Symptoms of poisoning:** Loss of coordination, nausea, numbing and tremors

**Antidote:** None

## To the doctor

GC-3 is based on extract from garlic . Treat symptomatically. Take special note of any pesticide used with GC-3 in tank mix.

**IN CASE OF POISONING CALL TOLL FREE NUMBER: 0800730030 or 0800720021(24HRS)**

## NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act, to use or store a pest control product under unsafe conditions.

## WARRANTY

Seller's guarantee is limited to the terms and conditions set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.