

DESCRIPTION: HEADLINE 700WP is a fungicide for the control of Powdery mildew and Botrytis in Roses.

MODE OF ACTION: HEADLINES 700WP is a protective and curative fungicide with systemic activity for control of diseases. It is absorbed by the plants then translocate in the plant system. It acts by binding to tubulin thereby blocking mitosis to protect and cure infections and lesion formation of the disease.

DIRECTION FOR USE:

Application Timing: apply HEADLINES 700WP when disease signs are observed or when disease is actively establishing in the crop. Repeat spray after 3-4 weeks depending on the diseases intensity and weather condition.

Spray preparation and Spraying: Put some water; add the required amount of HEADLINES 700WP to the container as you agitate. Add the remaining volume of water while agitating even when spraying. Use a spray volume of 1000litres per Hectare. Can be applied using knapsack sprayer and boom sprayer. Use a well calibrated sprayer to ensure good coverage of foliage.

RATE OF APPLICATION:

Crop	Diseases	Rates	
		grams/20 liters	kg/ha
Rose	Powdery mildew and Botrytis	15 - 20	0.75 - 1.0

Re-entry interval - 24 hours or until spray is dry

HANDLING & PRECAUTION: Do not eat, drink or smoke when handling this product. Wear protective clothing including overall, dust mask, gloves and face shield. Wash contaminated clothing before re-use.

STORAGE & DISPOSAL: Store in the closed, original container in a dry, cool, well-ventilated area away from children, foodstuff, livestock and animal feed. Empty container should be burnt in approved places away from water sources and human habitation. Do not reuse empty containers for any other purpose. Pesticide spray mixture or rinsate that cannot be used must be disposed off in a safe place where it cannot contaminate surface water and ditches or spraying in a fallow land. Dispose in accordance to the rules and regulation of the concern authorities.

ENVIRONMENT HAZARDS: Toxic to fish and bees, do not contaminate ponds or water sources with this product, its concentrate or empty containers. Avoid spraying when bees are actively foraging. Keep livestock out of freshly sprayed herbage.

FIRST AID INSTRUCTION: In contact with the eyes: wash with plenty of water for atleast 15minutes. If pain persists consult an eye specialist. **If in contact with skin:** Remove contaminated clothing and wash off with plenty of water and soap. **If inhaled:** Move affect person to fresh air and keep at rest until recovered. If not breathing, give artificial respiration and get to a doctor. **If ingested:** Do not induce vomiting if the person is conscious. Give glass of water. Get to a doctor.

TOXICOLOGICAL INFORMATION: harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin and eye. Avoid breathing vapor or spray mist.

Symptoms of poisoning: Mild irritant to skin and eye

In case of an poisoning call toll free lines 0800720021, 0800730030 (24hrs)

Antidote: There is no specific antidote.

Note to physician: Treat symptomatically

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on this label. It is an offence under Pest Control Product Board Act to use or store pest control products under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO: HEADLINE 700WP ni kiuu kuu ya kuzuia na kuponya magonjwa ya 'Powdery mildew' na 'Botrytis' kwenye Waridi.

JINSI DAWA INAVYOFANYA KAZI: HEADLINES 700WP ni kiuukuu inayopenya kwa mmea kuzuia na kutibu magonjwa. Hupenya kwa mmea ikinyunyiziwa.

PENDEKEZO YA UTUMIAJI:

Wakati wa kutumia: Tumia HEADLINES 700WP wakati dalili za magonjwa zinapojitokeza ama ugonjwa unaenea kwa haraka. Rudia kupiga dawa baada ya wiki 3-4 kulingana na vile ugonjwa umekithiri ama hali ya anga.

Uchanganyishaji: Weka maji alafu ongeza kiasi kifaacho cha HEADLINES 700WP kwa mtungi ukikoroga. Ongeza maji iliyobaki ukiendelea kukoroga vizuri ili ichanganyike. Tumia Lita 1000 kwa Hektari. Unaweza kutumia knapsack sprayer na boom sprayer kupiga dawa.

VIPIMO VYA MATUMIZI

Mmea	Magonjwa	Kipimo	
		gramu/lita 20 ya maji	kilo/hektari
	Powdery mildew and Botrytis	15 - 20	0.75 - 1.0

Muda salama ya kuingia – baada ya masaa 24 ama dawa ikikauka

HATARI NA TAHADHARI: Usile, kunywa au kuvuta sigara unapotumia dawa hii. Vaa mavazi ya kinga k.v. overolli, glavu, osho(face shield) na chombo maalum cha kupumua unapotayarisha dawa. Baada ya matumizi osha mavazi uliotumia kwa maji na sabuni kabla ya kutumia tena.

UHIFADHI NA UTUPAJI: Hifadhi dawa hii kwenye mkoba wake asili uliofunikwa na kuwekwa mahali ambapo ni salama, mbali na watoto, vyakula, mifugo na vyakula vya mifugo, moto au joto kali. Mkoba tupu lafaa kuchomwa au uzike mbali na maji, mito, visima au vidimbwi na chemchemi.

Usitumie mkoba wa dawa kwa matumizi mengine yoyote. Tupa kulingana na sheria za utupaji za serikali husika.

ATHARI KWA MAZINGIRA: dawa hii ni sumu kwa samaki, viumbe wengine wanaoishi kwenye maji na nyuki. Usinyunyize dawa hii wakati nyuki wanatembelea maua. Usichafue mazingira kwa kunyunyizia, kumwaga mabaki ya dawa, kutupa au kusunza mkoba wa dawa kwa mito, visima au vidimbwi na chemchemi.

MAELEZO YA HUDUMA YA KWANZA:

Kipumuliwa: Toa mgonjwa mahali penye hatari na umpumzishie mahali ambapo ni salama. kisha umpeleke kwa daktari.

Ikimwagikia ngozi: Vaa mavazi ya kujikinga na uoge kwa kutumia maji safi na sabuni. Iwapo maumivu itaendelea, muone daktari.

Ikiingia kwa macho: Fungua macho na uyasafishe kwa maji safi yanayotiririka kwa muda wa dakika15. Iwapo maumivu itaendelea, muone daktari.

Ikimezwa: Usilazimishe mgonjwa kutapika iwapo amezirai. Mpe maji na upate ushauri wa daktari mara moja.

MAELEZO KUHUSU SUMU: Hatari ikimezwa, pumuliwa au kufyonza kwa ngozi.

Dalili za kusumika: yaweza washwa ngozi na macho.

Wakati wa kusumika piga simu bila malipo kwa nambari:

0800720021/0800730030 (Masaa 24).

Tiba: Hakuna tiba maalum.

Maelezo kwa daktari: Tibu kulingana na dalili za kusumika.

ILANI KWA MTUMIAJI: Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu wahaaribifu kutumia au kuhifadhi dawa hii katika hali isiyu salama.

THIBITISHO: Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokea.



Headlines 700WP

SYSTEMIC FUNGICIDE

WETTABLE POWDER



Distributed by/Agent:
(Wasambazaji)
ORBIT AGRO CHEMICAL INDUSTRIES LTD.
P. O. Box: 48870 - 00100,
Tel: (020) 2338200/1
Nairobi, Kenya.
Email: orbitagro@orbitchem.com
Customer careline: 0752 368 468

Manufactured by/Registrant:
(Watengenezaji):
Hailir Pesticides and Chemicals
Group Co., Ltd
No.216 Guocheng Road, Chengyang
District, Qingdao, China.
East Industry Zone, Chengyang District,
Qingdao, China.

Incase of Poisoning call toll free number
24Hrs (Wakati wa kusumika piga simu
bila malipo kwa nambari Masaa 24):

: 0800 720021
: 0800 730030

Batch No (Nambari ya furushi)

Mfg Date (tarehe ya kutengenezwa)

Exp. Date (Tumia kabla ya):



A fungicide for the control of Powdery mildew and Botrytis in Roses.
(Kiukuu wa kuzuia na kuponya magonjwa ya 'Powdery mildew' na
'Botrytis' kwa Waridi).

COMMERCIAL & AGRICULTURAL CLASS
SEMU YA BIASHARA NA KILIMO.

GUARANTEE (Thibitisho): Thiophanate- methyl 700g/kg

READ THE LABEL BEFORE USE.
(SOMA KIBANDIKO KABLA YA MATUMIZI)

KEEP LOCKED & OUT OF REACH OF CHILDREN
(FUNGIA MBALI NA WATOTO)

REGISTRATION No: (Nambari ya usajiri) PCPB (CR) 1765

Shelf Life (Maisha Rafuni): 2 years from the date of manufacture in an original,
un-opened container stored in a cool, dry and well ventilated place.
(Miaka miwili baada ya tarehe ya kutengenezwa ikihifadhiwa kwenya mtungi
wake asili usiofunguliwa na kuwekwa pahali pakavu, baridi na pasipo
na joto).



Hazardous to the Aquatic
Environment

CONTENT/ KIASI
1KG

WHO class III
Slightly Harzadous



CAUTION
(TAHADHARI)