

KILITAC™ 20% EC

Insecticide/Miticide for the control of spidermites in tomatoes and roses
(Kiua dudu na mites kwa kudhibiti spidermites kwenye nyanya na maua ya waridi)

GUARANTEE/DHAMANA: AMITRAZ: 200g/L

COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA BIASHARA NA KILIMO)



REGISTRATION NO./(NAMBARI YA USAJILI): PCPB (CR) 0762

READ THE LABEL CAREFULLY BEFORE USING
(SOMA MAELEZO VIZURI KABLA YA KUTUMIA)

Shelflife: Two (2) years in original un-opened container after date of manufacture stored in a cool dry place.

Maisha Rafuni: Miaka 2 baada ya tarehe ya kutengenezwa ikiwa kwenye chombo chake asili kilichofungwa mahali pasipo na joto jingi.

FLAMMABLE



INAWEZA KUPATA MOTO

INAWEZA KUDHURU WEKA KAMA IMEFUNGIWA MBALI NA WATOTO



HARMFUL KEEP LOCKED OUT OF REACH OF CHILDREN

IN CASE OF POISONING CALL TOLL FREE NUMBER:
WAKATI KUSUMIKA PIGA SIMU BILA MALIPO KWA NAMBARI:
0800730030 or/au 0800720021(24HRS/MASAA 24)

DRAFT LABEL APPROVED SUBJECT TO
SUBMISSION OF FINAL LABEL AND PACKAGE
VALID FOR 3 MONTHS ONLY
22 JUN 2010
PEST CONTROL PRODUCTS BOARD

Date of manufacture/Tarehe lliptengenezwa:
Expiry Date/(Tumia kabla ya):
Batch No/(Nambari ya furushi):


Agent/Distributor/(Ajenti/Msambaazaji):
JUANCO SPS LTD.

Juanco Centre, Ngong Rd., Ngong Hills
P.O.Box 381, Karen 00502, Nairobi.
Tel: +254 (20) 2088754, 2088755
2088789, 2088754, 2048774, 3002398
Fax: +254 (20) 2088793
Mobiles: +254 (722) 207805, 207806
Email: info@juancogroup.com
Website: www.juancogroup.com



NET CONTENTS(KIASI)

20 LTRS



Manufactured by/ Imetengenezwa na : Milenia Agrociencias SA,
Rua Pedro Antonio de Souza 400, 86031-610
Londrina, P.R. Brazil

Kilitac™ is a trademark



HARMFUL



DESCRIPTION

KILITAC 20EC is an acaricide with contact and vapour action as well as translaminar mobility for control of mites in Tomatoes and roses.. It acts on the different stages of mites: eggs, larvae and adults and is active against mite strains resistant to organophosphorous insecticides. It also has activity against sucking insects such as whiteflies, jassids and psyllids. It displays low toxicity to many beneficial insects, allowing it to be used during the flowering period.

DIRECTIONS FOR USE:

CROP	RATE OF USE	PHI	Re-entry	interval of application
TOMATOES	3L/ha (75mls/20L of water)	14 days	12 hrs	7-10 days depending on infestation
ROSES	3L/ha (75mls/20L of water)	14 days	12 hrs	7-10 days depending on infestation

Mixing:

Add the measured amount of the product to the half-filled spray tank. Mix thoroughly and continue to mix as water is added to fill the tank. Do not leave product in spray tank overnight.

PRECAUTIONS

Wear face mask while mixing and overalls and gum boots while applying. Do not eat, drink or smoke when handling the product. Always wash body and work clothes thoroughly after handling.

PHI: 14 days, **Re-Entry:** 12 hours, **Timing of Application:** 7-10 days depending on the infestation

STORAGE

Store in a cool, dry place away from sources of heat. Retain product in original containers away from children, livestock, livestock feed and foodstuffs.

DISPOSAL

Do not dispose or wash spent containers into waterways. Destroy empty containers by puncturing, flattening and burying them in appropriate place away from water sources and human habitation. Do not re-use the empty containers for any purpose. Follow the national guidelines for disposal. Stop and collect spill with non-combustible absorbing material(e.g sand, earth, vermiculite, diatomaceous earth). Put the residues into a recipient for disposal according to local regulations. Clean, preferably with a detergent; avoid the use of solvents.

ENVIRONMENTAL HAZARDS

Toxic to fish, bees and wild animals. Do not contaminate waterways rivers or lakes. Do not apply when bees are busy foraging in the field.

FIRST AID INSTRUCTIONS

If on the skin: Remove contaminated clothing and wash skin with soap and water.

If in the eyes: Flush with plenty of water for 15 minutes.

If ingested: Keep patient quite warm in the open air until physician arrives. In case patient is not unconscious, induce vomiting (by giving warm salt water; 2 tablespoons of salt to a glass of water or a mustard solution) in order to remove unabsorbed toxicant from stomach. Never administer anything orally to an unconscious patient. Do not make the patient swallow any alcoholic beverage since alcohol promotes absorption of toxins. Get medical attention as soon as possible.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning

Amitraz can cause depression of hypothalamic functions. Symptoms of poisoning include: Depression of CNS, Respiratory depression, a fall in blood pressure, Digestive disorder (nausea, vomiting, abdominal cramps and diarrhoea). Chronic headache, Walking bewilderment, Shivering, Excitement and Convulsion

Antidote None

To the doctor

There is no known antidote. If ingested, remove through Endotrachea tube. Otherwise treat symptomatically.

In case of an poisoning call Toll Free Number: 0800730030 or 0800720021(24 hrs)

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Sellers guarantee is limited to terms and conditions set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.



MAELEZO KUHUSU DAWA

Kilitac 20 EC ni kiuwa dudu na mites kwa njia ya kugusa kwa mmea wa nyanya na maua. Yaweza kupitia kwenye matawi kutoka upande mmoja hadi mwingine.

MATUMIZI

Tumia Mbomba la kunyunyizia. Tayarisha na jaza kwenye mtambo wakati uko nusu kwa kutumia kipimo kilichokubaliwa cha dawa. Jaza mtambo, tikisa mara kwa mara wakati unapoendelea kuweka dawa mpaka mwisho. Usitumie dawa iliyobaki na kulala kwenye mtambo.

MMEA	KIPIMO	MUDA WA KUNGOJA KABLA KUVUNA	MUDA WA KUNGOJA KABLA YA KUNINGIA KWENYE SHAMBA.	MUDA WA KUNGOJA KABLA YA KUNYUNYIZIA TENA
NYANYA	Lita 3/hektari (Millilita 75/lita 20 za maji)	SIKU 14	MASAA 12	SIKU 7-10 KULINGANA NA MASHAMBULIZI
MAUA	Lita 3/hektari (Millilita 75/lita 20 za maji)	SIKU 14	MASAA 12	SIKU 7-10 KULINGANA NA MASHAMBULIZI

TAHADHARI

Vaa nguo za kujikinga wakati wa kutumia dawa (mipira ya mikono, kufunika uso, miwani, kabuti na overali). Osha vifaa ulivyotumia kwa uangalifu baada ya kutumia na kabla ya kuvitumia tena vifaa hivyo. Sumu kama dawa imezwa, imevutwa kwa pumzi au imeshika ngozi. Epuka kujishika machoni na kwenye ngozi. Vaa overoli na mifuko ya mikono. Usile chakula, kunyua maji au kunyua sigara wakati wa kutumia dawa mpaka hapo utakapo osha mikono na maji pamoja na sabuni. Osha nguo na mtambo kabla ya kutumia tena.

KUHIFADHI

Hifadhi dawa kwenye chombo cha asili. Weka chombo kwenye sehemu yenye baridi, pahali pakavu ambako hakuna unyevu, mbali na watoto, wanyama, maji, chakula na malisho. Baada ya kutumia dawa, weka na ufunike kwa uangalifu sana.

UTUPAJI

Tupa manyunyuru yote yaliyomiminika chini kwa kuyafukia. Usitumie tena vyombo vilivyokuwa vinahifadhi dawa, toboa vyombo upande wa chini na fukia/zika kwa ardhi kama vile centimita 50 na kulingana na sheria za nchi za utupaji. Okota dawa iliyo mwagika kwa kutumia kitu ambacho hakiwezi shika moto kama mchanga au udongo.

MADHARA KWA MAZINGIRA

Hatari kwa nyuki, samaki na wanyama wa porini. Usichafue au kunajisi visima, mabwawa na viini vya maji.

HUDUMA YA KWANZA

Kwa ngozi: Vaa nguo zilizomwagikiwa na usafishe mwili kwa maji na sabuni.

Kwa macho: safisha macho kwa maji safi kwa muda wa dakika 15 hivi. Pata mashauri ya daktari mara moja.

Ikupumuliwa: Fanya mgonjwa kutulia pahali penye hewa safi.

Ikimezwa: Fanya mgonjwa kutulia pahali penye hewa safi. Mfanye atapike kama hajazirai kwa kumpatia maji yenye chumvi, daima usimpatie mgonjwa aliyezirai chochote kupitia kwa mdomo. Pata mashauri ya daktari haraka iwezekanavyo

Wakati wa kusumika piga simu bila malipo kwa nambari: 0800730030 ama 0800720021 (masaa 24)

MAARIFA JUU YA YA SUMU

Dalili za sumu: kupumua kwa shida, kutapika, kuhara, kupungua kwa pressure ya damu na kutetemeka.

Dawa za kutibu: Hakuna dawa ya kutibu

Maelezo kwa daktari: Tibu kulingana na dalili. Tumia mipira kutoa dawa iliyomezwa kwa wingi.

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyosalama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo

