

MANCOLAX 72%WP

Fungicide for control of late blight in potatoes
and downey mildew in snowpeas and roses

(Dawa ya kuponya blight kwenye viazi na downey mildew
kwenye pinzi na waridi)

GUARANTEE/(DHAMANA): Mancozeb 640 g/kg
Metalaxyl 80 g/kg



COMMERCIAL AGRICULTURAL CLASS
(KUNDI LA BIASHARA NA KILIMO)

REGISTRATION NO/(NAMBARI YA USAJILI): PCPB (CR) 0569

KEEP LOCKED AWAY
FROM CHILDREN

(WEKA IMEFUNGIWA
MBALI NA WATOTO)

READ THE LABEL CAREFULLY BEFORE USE AND USE ONLY AS DIRECTED
(SOMA MAELEZO KWA MAKINI KABLA YA KUTUMIA)

DANGER
POISON



(HATARI)
(SUMU)

IN CASE OF POISONING CALL TOLL FREE NUMBER:
(WAKATI WA KUSUMIKA PIGA SIMU BILA MALIPO KWA NAMBARI):
0300730030 or/au 0800720021(24HRS)

Shelf Life: Two (2) years from the date
of manufacture when stored in its original
unopened container in a cool dry place.

Date of Manufacture/(Tarehe ilipotengenezwa):

Expiry Date(Tumia Kabla ya):

Batch No./(Nambari ya furushi):

(Maisha Rafuni: Miaka 2 baada ya tarehe ya
kutengenezwa ikiwa imehifadhiwa kwenye
chombo chake asili kilichofungwa mahali pakavu
na pasipo na foto jingi.)

DRAFT LABEL APPROVED SUBJECT TO
SUBMISSION OF FINAL LABEL AND PACKAGE
VALID FOR 3 MONTHS ONLY

29 JAN 2019

NET CONTENTS

1kg

(UZITO KAMILI)



Agent/Ajenti:
JUANCO SPS LTD.
Juanco Centre, Ngong Rd., Ngong Hills
P.O.Box 381, Karen 00502, Nairobi.
Tel: +254 (20) 2088754, 2088755
2088789, 2088754, 2048774, 3002398
Fax: +254 (20) 2088793
Mobiles: +254 (722) 207805, 207806
Email: info@juancogroup.com
Website: www.juancogroup.com

Manufactured by/(imetengenezwa na):UPL LIMITED
UNIPHOS HOUSE, MADHU PARK,
11th ROAD, KHAR (W)
MUMBAI -400 052, INDIA.

Member of
Agrochemical
Association
of Kenya
A.A.K No 273



MAELEZO

Mancolex huzuia na pia kuponya magonjwa ya mimea kama viazi, snowpeas na waridi.

MAAGIZO YA KUTUMIA

Nyunyizia mara baada ya dalili za ugonjwa kuonekana. Ni sharti kunyunyizia kila sehemu ya matawi na majani ya mmea. Kipimo

MMEA	UGONJWA	KIASI CHA DAWA	KIASI CHA DAWA KWA HEKTARI
Viazi	Late blight	5g/L ya maji (100g/20L)	1000gms/Ha ukitumia kiasi cha lita 200 za maji
Pinzi	Downey mildew	5g/L ya maji (100g/20L)	1000gms/Ha ukitumia kiasi cha lita 200 za maji
Waridi	Downey mildew	5 g/L ya maji (100g/20L)	1000gms/Ha ukitumia kiasi cha lita 200 za maji

Jinsi ya kuchanganya

Ongeza maji kidogo ndani ya kipimo cha dawa kinachotakikana na ukoroge kabisa. Weka mchanganyiko huu kwenye tanki la bomba lililo jaa nusu maji huku ukikoroga. Kisha jaza bomba maji huku ukizidi kukoroga. Tingiza bomba mara kwa mara wakati unanyunyizia.

Muda wa kungoja kabla kunyunyizia dawa tena

Siku 14

Muda wa kungoja kabla ya kuvuna

Siku 10 kwa pinzi na viazi.

Muda wa kungoja kabla ya kuingia shambani

Masaa 4

TAHADHARI

Zuia dawa kuingia kwa macho, mdomo ama kuguza ngonzi. Vaa mavazi ya kujikinga wakati unafanya kazi na dawa.

Usikule, kunyua ama kuvuta sigara wakati unafanya kazi ya dawa. Oga mwili na usafishe nguo na vyombo baada ya kazi na kabla ya kunywa au kula chochote.

UHIFADHI

Hifadhi dawa ndani ya chombo chake asili na ufunge vizuri kwenye mahali penye giza na mbali na watoto, mifugo na pia vyakula.

Usiweke dawa karibu na moto au vyombo vyenye kutoa joto.

UTUPAJI

Suza vyombo vitupu mara tatu na uvitoboe halafu utupe kulingana na sheria na kanuni za utupaji za nchi. Iwapo dawa imemwagika, zoa mchanga mkavu au (vumbi la mbao kisha uinyunyizie na uzike). Ikiwa kuna haja ya kutupa kiasi kikubwa, pata mashauri kutoka kwa watengenezaji au wale ambao wanahusika na ugawaji dawa hii. Usitumie vyombo vilivyo vitupu kwa njia yeyote.

HATARI KWA MAZINGIRA

Mancolex ni hatari kwa smaki na viumbe wengine wa majini. Usitupe dawa au chombo kwenye maji baada ya kushughulikia dawa hii.

HUDUMA YA KWANZA

Ikimezwa: USIMTAPISHE MGONJWA. Usimlishe kitu chochote kupitia mdomoni kama mhusika amezirai. Mpeleke mgonjwa kwa daktari haraka.

lingiapo machoni: Yasafishe macho kwa maji kwa kuyarushia macho maji, kwa mda wa dadika 15. Ikiwa utasikia mwasho au mwasho ukiendelea tafuta matitabu.

Ikiwa katika ngozi: Vua nguo zilizoingia dawa, kisha osha ngozi kwa sabuni nyingi. Tafuta matitabu haraka ikiwa mwasho utatokea na kuendelea.

Ikivutwa kwa pua: Mpeleke mhusika katika sehemu yenye hewa safi na akiendelea kuwa na shida ya kupumua

MPELEKE MJERUHI KWA DAKTARI.

MAARIFA JUU YA SUMU

Dalili za sumu: Mwasho wa ngozi na macho

Dawa za kutibu: Hakuna dawa za kuharibu sumu ya dawa hii.

Mwongozo kwa daktari: Shughulikia mjeruhi kulingana na dalili alizo nazo.

WAKATI WA KUSUMIKA PIGA SIMU BILA MALIPO KWA NAMBARI: 0800730030 au 0800720021 (MASAA 24)

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kilingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyosalama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.

DESCRIPTION

Mancolax is a fungicide for the control of late blight in potatoes and downey mildew in snowpeas and Roses.

Mode of Action

Mancolax contains Mancozeb and Metalaxyl as the active ingredients.

Mancozeb which is a dithiocarbamate non-systemic chemical which has protective residual effect on contact.

Metalaxyl is an acylalanine systemic chemical.

DIRECTIONS FOR USE

Treatment is recommended at first signs of infestation and thereafter in 2-3 weeks interval.

CROP	DISEASE	RATE OF USE	RATE OF USE/HA
Potatoes	Late blight	5g/L of water(100g/20L)	1000gms/Ha using a vol of 200Lts of water
Snow Peas	Downey mildew	5g/L of water(100g/20L)	1000gms/Ha using a vol of 200Lts of water
Roses	Downey mildew	5 g/L of water(100g/20L)	1000gms/ha using a vol of 200Lts of water

Mixing Instructions

First mix the desired quantity with a small amount of water and stir to obtain a uniform mixture. Add this into half-full spray equipment as you stir. Then fill the spray equipment as you continue to stir.

Keep agitating as you spray.

SPRAY INTERVAL - 14 days

PHI- 10 days snow peas & potatoes.

Re-entry- 4 Hours

HAZARD/PRECAUTIONS

Avoid contact with the eyes, skin, nose and mouth. Wear adequate protective clothing. Wash hands and exposed skin with soap and water before eating, drinking and smoking after work. Do not contaminate other pesticides, fertilizers, water, food or feed.

STORAGE

Store in original container only in a cool, dry, well ventilated place. Do not use or store near heat, open flame or hot surfaces. Keep out of reach of children and animals.

DISPOSAL

Prevent spilled liquid from spreading with the most readily available material e.g. sand or earth. Absorbed spilled liquid should later be safely disposed of. Triple rinse empty containers, puncture holes and dispose according to national laws and regulations on disposal. To dispose large quantities contact manufacturer/supplier. Do not re-use empty containers for any other purpose.

ENVIRONMENTAL HAZARDS

Toxic to fish and bees. Do not contaminate water supplies with flushing water or empty containers. Do not spray when bees are busy foraging in the field.

FIRST AID INSTRUCTIONS

If ingested: Do not induce vomiting and do not give liquids of any kind to the person. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

If in eyes: flush with water for at least 15min. If irritation occurs and persists, get medical attention.

If on skin: remove contaminated clothing and wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

If inhaled: remove patient to fresh air. If breathing difficulty or discomfort occurs and persists, get medical attention.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: Prolonged contact with skin may cause skin irritation. Moderate eye irritation also occurs when in contact with the eyes.

Antidote:None

To the Doctor :

There is no known antidote. Treat symptomatically. If the patient is conscious, induce emesis or lavage the stomach. Use activated charcoal to absorb remnant chemical in the stomach.

INCASE OF POISONING CALL TOLL FREE NUMBER:0800730030 OR 0800720021(24HRS)

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the pest control products act to use or store pest control product under unsafe conditions.

WARRANTY

Sellers guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to the persons or property arising from the use or handling of this product and accepts the products on that condition.