

RECTO.3


276.0 mm

READ THE LABEL AND ATTACHED LEAFLET BEFORE USING
KEEP LOCKED UP OUT OF REACH OF CHILDREN

SOMA KIBANDIKO KABLA YA KUTUMIA
WEKA MBALI NA WATOTO

Roundup® TURBO HERBICIDE

GUARANTEE/THIBITISHO: 450 g/L glyphosate acid
REGISTRATION NO/ NAMBARI YA USAJILI: PCPB (CR) 0328



Batch No:

Date of manufacture - Tarehe ya kutengenezwa: 5

A herbicide for use in non-crop areas, zero / minimum tillage;
control of broad leaved weeds, annual and perennial weeds
in tea plantations and coffee.

Dawa aina ya glyphosate inayotumika kwa kuangamiza
magugu au kwekwe ya aina mbali mbali kwenye mashamba ya
majani chai, kahawa, kilimo cha kupanda bila kullima.


COMMERCIAL AND AGRICULTURAL CLASS - KUNDI LA KILIMO NA BIASHARA

Agent /Mwandikishaji: Monsanto Kenya Limited

P.O.Box 47686, 00100 Nairobi.
Tel: + 254 20 2060922/44/3574301-4

Fax: + 254 20 823086/9574300


Manufacturer / Mtengelezaji:
Monsanto Europe N.V./S.A.
Heaven 627, Scheikelaan 460,
B 2040 Antwerpen, Belgium



Distributed by / Msambazaji:
Bayer East Africa Ltd
P.O. Box 30321
00100, Nairobi, Kenya.
Tel: + 254 20 8560060, 8560667/74
Fax: + 254 20 8560935/8561636



Bayer CropScience



Roundup, Monsanto and the Vine symbol are registered trademarks of Monsanto Technology LLC. © Monsanto Europe S.A., 2017

In case of poisoning call toll free number /
Wakati wa dhuru piga simu bila malipo
0800720021/ 0800730030 (24hours/ masaa 24)



Shelf life: 5 years in original unopened
container stored in a cool dry well
ventilated place.

Maisha Ratuni: Miaka tano iwapo dawa
hii itaishiwa kwenye chombo chake
bila kulunguliwa



5 411773 115818 >

CAUTION
ILANI



Unlikely to present a hazard in normal use. KEBAY_1806_F - 1xxx XXXX

READ THE LABEL AND ATTACHED LEAFLET BEFORE USING
KEEP LOCKED UP OUT OF REACH OF CHILDREN
SOMA KIBANDIKO KABILA YA KUTUMIA
WEWA MBALI NA WATOTO

Roundup[®] TURBO HERBICIDE

GUARANTEE/THIBITISHO: 450 g/L glyphosate acid
REGISTRATION NO/ NAMBARI YA USAJILI: PCPB (CR) 0328




CAUTION
ILANI



A herbicide for use in non-crop areas, zero / minimum tillage; control of broad leaved weeds, annual and perennial weeds in tea plantations and coffee.
Dawa aina ya glyphosate inayotumika kwa kuangamiza magugu au kwetwe ya aina mbali mbali kwenye mashamba ya majani chai, kahawa, kilimo cha kupanda bila kulima.

COMMERCIAL AND AGRICULTURAL CLASS - KUNDI LA KILIMO NA BIAASHARA
KEMET Manufacturing Limited Kenya Limited
P.O. Box 42968, Nairobi, Kenya
T: +254 20 260692/443074301-4
F: +254 20 822088/3074300
Mombasa Plot 1, Makumbi, P.O. Box 200, Mombasa
Harambee 127, Shaurimoyo 6th, Nairobi
Member of the Kenyan Agricultural Producers' Association (KAPRO) and the Kenya Horticultural Producers' Association (KHOA)
Registered with the Ministry of Agriculture, Kenya
P.O. Box 30321, Nairobi, Kenya
Tel: +254 20 866000/866000
Fax: +254 20 866000/866000
© Roundup, Monsanto and the Vite symbol are registered trademarks of Monsanto Technology LLC. © Monsanto Europe S.A., 2018



PEST CONTROL PRODUCTS BOARD
07 SEP 2018
VALID FOR 3 MONTHS ONLY
PEST CONTROL PRODUCTION DATE

Sheaf life: 3 years in original unopened container stored in a cool dry well ventilated place.
Maisha Rajunti: Miaka laro kwazo dawwa hii inabidhaukwa kwenye chombo chake bila kutungulwa.

Batch No:
Date of manufacture: Tambo ya kutengeneza
KENYA 1807 D-12927658

READ THE LABEL AND ATTACHED LEAFLET BEFORE USING
KEEP LOCKED UP OUT OF REACH OF CHILDREN

SOMA KIBANDIKO KABLA YA KUTUMIA
WEKA MBALI NA WATOTO

Roundup® TURBO HERBICIDE

GUARANTEE/THIBITISHO: 450 g/L glyphosate acid
REGISTRATION NO/ NAMBARI YA USAJILI: PCPB (CR) 0328



Batch No: _____ Date of manufacture - Tarohi ya kutengenezwa: _____

A herbicide for use in non-crop areas, zero minimum tillage; control of broad leaved weeds, annual and perennial weeds in tea plantations and coffee

Dawa aina ya glyphosate inayotumika kwa kuangamiza magugu au kwakwe ya aina mbali kwenye mashamba ya majaji chaji, majaji wa kimo cha kupanda bila kulima.

DR. RAJA K. MATHIAS
SUBMISSION FOR REGISTRATION CONTROL PRODUCTS BOARD
2018

COMMERCIAL AND AGRICULTURAL CLASS - KUNDI LA KILIMO NA BIASHARA

Agent / Mwandikishaji: Monsanto Kenya Limited

P.O. Box 41686, 00100 Nairobi.

Tel: + 254 20 2060922/44/3574301-4

Fax: + 254 20 823086/3574300

Manufacturer / Menegezaji:

Monsanto Europe N.V./S.A.

Haven 627, Scheikelaan 29

B 2040 Antwerpen, Belgium

Distributed by / Msambazaji:


Bayer East Africa Ltd

P.O. Box 30321

00100, Nairobi, Kenya.

Tel: + 254 20 8560060, 8560667/74

Fax: + 254 20 8560935/8561636



® Roundup, Monsanto and the Vine symbol are registered trademarks of Monsanto Technology LLC. © Monsanto Europe S.A., 2018

In case of poisoning call toll free number /
Wakati wa dharura piga simu bila malipo
0800720021/ 0800730030 (24hours/ masaa 24)



Shelf life: 5 years in original unopened container stored in a cool dry well ventilated place.

Maisha Ratuni: Mlaka taro iwapo dawa hii itahitadhiwa kwenye chombo chake bila kufunguliwa

CAUTION
ILANI

Unlikely to present a hazard in normal use. KEBAY, 1806, F - 1xxx XXXX

RECTO.2

276.0 mm

Annual weeds..... 1.5 L/ha in 100 l/ha water volume; 150ml/20L; 1.0% - 1.5% solution
Perennial weeds..... 2.5 L/ha in 100 l/ha water volume; 250ml/20L; 1.5% - 2.5% solution
Hard to kill perennials..... 3.0 L/ha in 100 l/ha water volume; 300ml/20L; 2.5% - 3.0% solution.

Recommended water volume is 100 L per hectare, using low volume sprays. Ensure that spray equipment is clean and correctly calibrated before use. Use clean water. Avoid the use of brack or muddy water or water with a high colloid content from soils high in organic matter. It is recommended to use low pressure (1 - 1.5 bar) and low spray volumes (50 - 150 l/ha) or low drift nozzles to reduce drift. Pre-harvest all crops; 10 days

Hazards and Precautions:

Do not breathe fumes or spray mist.; May be irritating to eyes and skin. Keep out of reach of children, uninformed persons and animals. Prevent contamination of food, foodstuffs, animal feeding stuff, drinking water and eating utensils; Direct or spray drift contact by Roundup with leaves, green or immature bark or fruit of non-target plants can result in severe damage

Accidental Release Measures

Use personal protection when dealing with spills. For small quantities, flush spill area with water. For large quantities spillage, absorb in earth, sand or absorbent material; dig up heavily contaminated soil; collect in containers for disposal; flush residues with small quantities of water (minimize use of water to prevent environmental contamination).

Environmental Hazards

Harmful to fish or other aquatic life. Do not contaminate lakes, rivers, ponds or streams with chemical or empty containers.
Keep livestock out of treated areas.

First Aid instructions

Skin contact - remove to fresh air, remove clothing; wash with plenty of water and soap. Eye contact - flush with clean water for at least 15 minutes. If irritation persists get medical attention. If swallowed - seek medical advice immediately.

Symptoms of Poisoning: If the product is swallowed it may cause gastrointestinal tract irritation - discomfort, nausea, vomiting and diarrhea

Note to Physician: Symptomatic treatment, administration of activated charcoal and standard supportive measures. Atropine and oximes are not indicated.

In case of poisoning call toll free number 0800720021/0800730030 (24 hours)

Magugu ya kila mwaka... 1.5 L/ha katika 100 l/ha kiwango cha maji; 150ml/20L; mimumunyo wa 1.0% - 1.5%
Magugu ya kudumu..... 2.5 L/ha katika 100 L/ha kiwango cha maji;250ml/20L; mimumunyo wa 1.5% - 2.5%
Ya kudumu magumu kuangamiza.. 3.0 L/ha katika 100 l/ha kiwango cha maji; 300ml/20L; mimumunyo wa 2.5% - 3.0%.

Kiwango la maji lililo faa ni 100L/ha.Hakikisha ya kwamba mitambo ya kiuunyuzia ni safi na umekadiriwa kwa usahihi kabla ya kutumiwa. Tumia maji safi. Epuka maji ambayo yanayopakwa chini au tope au maji yaliyo na kiwango kikubwa cha koloidi kutokana na mipanga ya maji ya kiwango cha juu cha viumbwaji. Inapendekezwa kutumia maji yenye shinkizo la chini. Tumia maji ambayo mnyunyuzo wa kiwango cha chini (50 -150 l/ha) au nozoli zinazotiririsha maji kwa kiwango cha juu au kupunguza mitiririko wa maji. Kipindi cha uvunaji wa kabla: Siku 10.

Hatari na Tahadhari:

Usipumue mvuke mzito au ukatue vidongo. Unaweza kuasiwa macho na ngozi. Weka mbali na watoto, watu wasiofahamishwa, wanavyama. Zuia uhaba wa chakula, vyakula au ya kuwalishia wanavyama, maji ya kunywa au vidombo vya kulia. Mpesa wa moja kwa moja au mnyunyuzo wa mitiririko kwa kutumia Roundup pamoja na majani, gata njani au ile ambayo halijakataa ad fundu la mimea isiyolengwa vyote vinaweza kusababisha madhara makali.

Vigezo vya Ufunguliwaji Bila Kufusudia

Tumia vifaa vya kujikinga kibinasi wakati unaposhughulika na magugu. Kwa viwango vidogo, mwagilia maji katika eneo la umwagikaji. Kwa viwango vikubwa, umwagikaji, iyonza kwenye archi, mchanga au kitambaa chenye uwezo wa kufenza; chini ya maji, unao mchanga uliochatuliwa sana; kusanya kwenye miikebe kwa minajili ya kutupwa; mwagilia viwango vidogo vya maji katika masazo (punguza matumizi ya maji ili kuzuia uchatuzi wa kina chingira).

Hatari za Kimazingira

Inadhuru samaki au maisha mengine ya majini. Usichatue maziwa, mito, madimbwi au vijito kwa kemikali au miikebe mitupu. Weka mitugo nje ya maeneo yaliyotiwa dawa.

Maagizo ya Huduma ya Kwanza

Mgusano na ngozi - ondoa hadi kwenye hewa safi, vua mavazi; osha kwa maji mengi na sabuni. Mgusano na macho - mwagilia maji safi kwa angaa dakika 15. Kama mwasho utaendelea pata uangalifu wa kimatibabu. Kama imemezwa, tafuta ushauri wa kimatibabu mara moja.

Dalili za kuingwiwa na Sumu: Kama bidhaa imemezwa inaweza kusababisha mwasho kwenye njia za viungo vinavyohusu tumbo na utumbo - kutokuwa na utulivu, kichafuchetu na kuendesha.

Dokezo kwa Daktari: Matibabu ya kuangalia dalili, utumiaji wa makaa yaliyoamilishwa na vigezo saidizi vya wastani. Atropini na okzimi hazijaonyeshwa.

Wakati wa dharura piga simu bila malipo namba 0800720021/0800730030 (saa 24)

