

DESCRIPTION: STROBIN EXTRA 3255C® is a broad spectrum fungicide containing Difenoconazole which is a systemic fungicide with preventive and curative action. Absorbed by leaves, with acropetal and strong translaminar translocation. STROBIN EXTRA 3255C® also contains Azoxystrobin with protectant, curative, eradicant, trans laminar and systemic properties. Inhibits spore germination and mycelial growth and also shows antispore activity to be used on Roses for the control of fungal infections.

DIRECTIONS FOR USE:

CROP	DISEASE	APPLICATION RATE	TIMING
Roses	Powdery Mildew	750ml per 1,000litres of water per Hectare; 75ml per 100Litres of water	RE-ENTRY INTERVAL - 24Hours

SAFETY PRECAUTION: STROBIN EXTRA 3255C® may cause irritation and damage to the skin and respiratory system. Wear gumboots, rubber gloves, overall and face shield when spraying. DO NOT drink, eat or smoke when mixing or spraying. Remove and wash protective clothing after work. Clean contaminated body parts with plenty of water. Avoid spray drift.

STORAGE: Store in an original tightly closed container in a dry, cool, well-ventilated area away from direct sunlight; place out of reach of children, animals and away from food, other pesticides, fertilizers, fire and feed stuff.

DISPOSAL: DO NOT reuse empty containers for any other purpose. Triple rinse, puncture and crush empty containers and dispose them off in a safe authorized place in accordance with National Legislation and Regulations on disposal or return the containers to the stockists/supplier.

LEAKAGE AND SPILLAGE: Remove contaminated soil layer and dispose in a safe place away from water sources. Collect the contaminated material thoroughly and dispose in a safe place away from water sources. Contaminated sawdust to be disposed away from human dwellings. Clean spilled area with plenty of water. Spilled product must not be re-used.

WILDLIFE PROTECTION AND ENVIRONMENTAL HAZARDS: STROBIN EXTRA 3255C® is toxic to Fish. DO NOT contaminate water bodies or sources of water. Avoid drift by spraying when the wind is calm. DO NOT allow livestock to enter treated areas within 24Hours of spraying. Avoid spraying when bees are foraging.

FIRST AID MEASURES: If Swallowed; Wash out mouth with water. DO NOT induce vomiting. Give a glass of water. Keep patient at rest and seek urgent medical advice. **Clothing or Skin Contact;** Remove contaminated clothing before washing with plenty of water and soap. Then seek medical attention if irritation persists. **Eyes Contact;** Flush with copious volumes of water for at least 15Minutes or until pains subside and seek medical attention immediately. **If Inhaled;** Take the affected person to a fresh air and call the doctor.

TOXICOLOGICAL INFORMATION: Symptoms of Poisoning: redness of eyes, skin rash and bronchial irritation. Ingestion can cause vomiting.

Notice to Doctor: Antidote; No known antidote. **Treatment;** Treat symptomatically.

INCASE OF POISONING CALL THE 24 HOUR TOLL FREE NUMBERS

0800720021/0800730030

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an of fence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

SELLERS GUARANTEE (WARRANTY): Sellers guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risks to persons or property arising from the use or handling of this product and accepts the product on that condition.

STROBIN EXTRA 3255C® SUSPENSION CONCENTRATE

A fungicide for the control of Powdery Mildew in Roses (Kiaua Kuuu kinacho kinga na kudhibiti madhara aina ya magonjiwa ya kuuu kwenye mimea ya maua aina ya Waridi).



GUARANTEE (DHAMANA):
Azoxystrobin 200g/L + Difenoconazole 125g/L

REGISTRATION NUMBER
(NAMBARI YA USAJILI) PCPB (CR) 1707

COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)

READ THE LABEL BEFORE USING
WA KIBANDIKO KABLA YA KUTUMIA

KEEP OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

SHELF LIFE: 2 years from the date of manufacture if stored in unopened original container in a dry cool place. (MAISHA RAFUNI: Miaka miwili baada ya tarehe ya kutengenezwa hapo dawa hii itaifadhwa kwa chombo chake asili bila kutungulwa na we pakavu na pasipo na joto).

INCASE OF POISONING CALL TOLL FREE NUMBERS (KWA HALI YA KUSUMHIKA PIGA SIMU KWA NAMBARI (MASAA 24) 0800720021/0800730030

Batch Number:
(Nambari ya Kifurushi)

Manufacture Date:
(Tarehe ya Kutengenezwa)

Expiry Date:
(Tumia Kabla ya)

Agent (Wakala)
Agnichem Africa Limited
P O Box 27151 G P O
00100 Nairobi Kenya
Tel +254 733 806 200
+254 727 531 010
+254 720 325 144

Manufacturer
(Watengenezaji)
Shandong United Pesticide Industry Company Limited
Tel: +86 531 86461681
Fax: 0531 86461681
www.sdlupi.com



NET CONTENT (UJAZO):
(LITA MOJA)
1 LITRE

WHO CLASS II



HARMFUL / INADHURU

MAELEZO: STROBIN EXTRA 3255C® ni kuuu kuuu zenye Difenoconazole ambayo ni kuuu kuuu zenye ucaratibu wa hatua ya kinga na tibu. STROBIN EXTRA 3255C® ufunzwa na majini kwa nguvu dhibiti. STROBIN EXTRA 3255C® pia ina Azoxystrobin ambayo ina utaratibu wa hatua ya kinga na tibu inayofanywa na majini. STROBIN EXTRA 3255C® huziua kuuu na ukaji wa nyuzinyuzi kwa mimea. STROBIN EXTRA 3255C® inatumika kwa kudhibiti magonjiwa ya kuuu kwa mimea ya maua aina ya Waridi.

MAAGIZO YA MATUMIZI:

MIMEA	MAGONJIWA	KIPIHO CHA MATUMIZI	MUDA WA KUSUBIRI KABLAYA KUVUINA
Waridi	Powdery Mildew	Millilita 750 kwa Lita 1.000 za maji kwa Hektar; Millilita 75 kwa Lita 100 za maji	Masa 24

TAHADHARI: STROBIN EXTRA 3255C® inaweza kusababisha mwazo kwa macho, nguzo na njia ya pumzi. Vaa mavazi ya kujikinga kama vile buti, glavu, ovaroni na kinga ya uso unapochanganywa au kunyunyiza STROBIN EXTRA 3255C®, Usije, kunywa au kuruka sigara unapoumia STROBIN EXTRA 3255C®. Vaa nguvu zilizo loa dawa baada ya kazi na kuzifua. Ocha sehemu za mwili zilizopata dawa na maji mengi kwa sabuni. Epukana na tutuzi wakati wa kunyunyiza.

UHIFADHI: STROBIN EXTRA 3255C® sharti litifadhwe kwenye chombo chake asili lililochobwa vizuri pahali pakavu pasipo joto jingi na peywe hewa ya kutosha. Chala iwe manufuku kwa watoto.

UTUJAJI: Usitumie mikoba mitupu kwa masuzuni mingine. Suza mara tatu. Kitoboo, ukibonyeze na utupe mahala ambapo ni salama mbali na maji kwa kuzingatia maadili ya lanani na sharti za kisheria za nehi za utuaji au mroshehe msambazi.

IKIWA NA IKIMWAGIKA: Ondoa mchanga wa juu ulioringa STROBIN EXTRA 3255C® na utupe mahala salama mbali na vyanzo vya maji. Kusanyika kwa makini vitu vilivyokuwa ingia STROBIN EXTRA 3255C® na uritupe pahali salama ama tupa ndani ya pipa au mifuko na plastic, weta alama na utupe kwa kuzingatia maadili ya lanani na sharti za kisheria za nehi za utuaji. Safisha kwa maji mengi iliionwagikwa na STROBIN EXTRA 3255C®. STROBIN EXTRA 3255C® iliyomwagika itatumiwe tena.

TAHADHARI KWA WANYAMA PORI NA MAZINGIRA: STROBIN EXTRA 3255C® ni sumu kwa Samaki. Usichafue maji au vianzo vya miti na STROBIN EXTRA 3255C®. Epuka kupeperushwa kwa STROBIN EXTRA 3255C® kwa kunyunyiza wakati upepo umetulia. Usiruhusu mifugo kuinga mahali paliponyunyizwa kabla ya masaa 24 kuisha. Usinyunyize dawa hii nyuki wanapoteleleka maala. **MAAGIZO KUHUSU HUDUMA YA KWANZA:** Iliguza Ngau au Ngozi; nipeleke mjeruhi mahali palipo na hewa safi kisha mvua; yaliozumika kabla ya kuosha paliposumika na maji mengi kwa sabuni. **Ikipumuliwa:** Mpokele peywe hewa safi na kama mjeruhi hapumuli, misaidie apate kupata kabla ya kumpeleka kwa daktari. **Iliguza Macho;** Ocha kwa maji mengi na sabuni **Ilimezewa:** Usimfanye mjeruhiwa kuapika. Sukuta maji safi mdomoni, mpumzisha kisha utafute huduma kutoka kwa daktari haraka iwekwa nyuma.

PELEKA MJERUHIWA KWA DAKTARI
Ilani kwa Daktari; Makata; Hakuna makata maalum inayojulikana. **Tiba:** Tibu kulingana na dalili za ugonjwa.

KWA HALI YA KUSUMIKA PIGA SIMU KWA NAMBARI (MASAA 24) 0800720021/0800730030

ILANI KWA MTUMIAJI: Dawa hii sharti itumwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madhara ya kuangamza wadudu wabaribifi kutumia au kuhifadhi dawa hii kabla hali isiyoku salama.

DHAMANA YA MUUZAJI (THIBITISHO): Muuzaji anadhibitisha ubora wa dawa hii kufuatana na maelezo yaliyo ambadhitwa kwenye kileweko atilia, na mrunuzi anawajibika kwa watu au mali ilakayo haribika kutokana na masuzuni mabaya au unuzaji na lazima alikuabali dawa hii kwa hali na masharti hayo.